
Navigating Virtual Environments: Do Physical Rotations Aid in Orientation? Alexandra Kitson, Timofey Y. Grechkin, Markus von der Heyde, Bernhard E. Riecke

SEU SIMON FRASER UNIVERSITY ENGAGING THE WORLD





ARTS + TECHNOLOGY

Introduction

Knowing where you are in space is essential for navigation in the real-**Spatial** world and virtual environments (VEs) orientation

Physical
locomotio

Might help orientation in VEs compared to only visual information

High costs and space constraints often make physical movements in Drawbacks VEs difficult to implement

The body can be tricked into thinking it is actually moving with small, yet Motion cueing effective, movements

Results


Analysis

Mixed-design 2x2x6 ANOVA IVs: interfaces (within), gender (between), and location (within)

1. Accuracy:

Mean Absolute Pointing Error

Accuracy decreases significantly up to the 3rd location in a test of between-subjects effects, $F(5, 59) = 2.812, p = .024, \eta^2 = .192.$ The remaining effects, main, gender and interface, were non-significant.



How much and what kind of motion is required to significantly increase Literature gap orientation performance?

Previous work Physical rotations benefitted men, but not women, in a virtual navigation task compared to visual-only locomotion (Grechkin & Riecke, 2014)


Uses a different 360 degree rotating stool combined with a joystick and Our approach head mounted display to evaluate spatial orientation

Hypothesis: spatial orientation performance will improve for body-based physical locomotion interfaces

Methods

Pointing Performance assessed in three ways

- **1. Accuracy:** mean absolute pointing error
- 2. Systematic Bias: absolute ego-orientation error
- **3. Variability:** configuration error




2. Systematic Bias: **Absolute Ego-Orientation Error**

Females (M = 62.54, SE = 4.60) showed a significantly greater ego-orientation error when pointing than males (M = 46.42, SE = 5.44), $F(1, 60) = 5.110, p = .027, \eta^2 = .078.$ All other effects, main effects and interactions, were non-significant.

3. Variability:

Configuration Error

Visual only condition yielded a lower configuration error (M = 29.04, SE = 2.26) compared to the physical rotation condition (M = 34.47, SE =2.45), F(1, 60) = 5.160, p = .027, $\eta^2 = .079$. Location was a significant between-subjects factor, $F(5, 60) = 12.026, p < .001, \eta^2 = .501.$ There were no significant interactions.




Fifteen (7 female) **Participants**

Virtual hexagonal maze (above), with first-person point of view (left) and Environment top down view (right). Two maze versions (mirror images)

Following a path & guided by a red sphere, participants successively Task learned six target objects; at each target object stopped to point to all previous targets and the starting location (in random order) as accurately and quickly as possible

> First maze: boot, car, coke bottle, lamp, plane, and train Second maze: bag, books, chair, duck, milk carton, and plant



Discussion and Conclusions

Pointing error increases after three locations

Mean absolute pointing error and configuration error seem to be in agreement. The task was designed to be difficult, so these results are in keeping with participants' getting disoriented after three locations.

Systematic bias greater in females than in males

Ego-orientation gender effect is consistent with a previous study (Grechkin & Riecke, 2014), which found that men benefitted from using physical rotations versus visual only rotations where women did not; yet, no gender effect for mean absolute pointing error nor configuration error in this study.

Results seem to be consistent with women relying more on landmarks (Lambrey & Berthoz, 2007) (not present in our virtual maze) when navigating, and their performance decreasing when none are present.

Variability minimally affected by the means of **locomotion interface**

Participants had a higher variability in pointing estimates for the physical rotations condition compared to the visual only condition.

Objects

Visual-only Non-rotating chair & joystick for both forward movement & rotation

Physical rotations 360° rotating chair for rotations & joystick for forward movement only

Each participant completed the navigation task twice – first using one Procedure and then the other locomotion interface. The order of interfaces and the order of presentations for two variations of VEs were counter-balanced, creating four distinct experimental groups (see below).

1 Virtual	2 Virtual	3 Virtual	4 Virtual
Environment 1 +	Environment 1 +	Environment 2 +	Environment 2 +
Visual Only	Physical Rotations	Visual Only	Physical Rotations
Virtual	Virtual	Virtual	Virtual
Environment 2 +	Environment 2 +	Environment 1 +	Environment 1 +
Physical Rotations	Visual Only	Physical Rotations	Visual Only

Spatial orientation did not improve for body-based physical locomotion interfaces

Post-experimental debriefing suggests this lack of a benefit from physical rotation might be related to the inconsistency of using body movements only for rotations, but not translations. We are currently developing the NaviChair based on these findings.

References

Grechkin, T.Y., & Riecke, B. E. (2014). Re-evaluating Benefits of Body-based Rotational Cues for Maintaining Orientation in Virtual Environments: Men Benefit from Real Rotations, Women Don'T. In Proceedings of the ACM Symposium on Applied Perception (pp. 99–102). New York, NY, USA: ACM. Lambrey, S., & Berthoz, A. (2007). Gender differences in the use of external landmarks versus spatial representations updated by self-motion. Journal of Integrative Neuroscience, 06(03), 379–401.

tgrechkin@gmail.com | markus.von.der.heyde@gmail.com| ber1@sfu.ca akitson@sfu.ca | ispace.iat.sfu.ca

Poster Presented at the Second International Workshop on Models and Representations in Spatial Cognition 2017